SF 02 perma Hochdruckfett

Date of printing: 2013_04_02 Date of revision: 2013_04_02

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : SF 02 perma Hochdruckfett

Product description : Grease

1.2 Relevant identified uses of the substance or mixture and uses advised against

Not applicable.

1.3 Details of the supplier of the safety data sheet

perma-tec GmbH & Co. KG Hammelburger Straße 21 D-97717 Euerdorf Tel: +49 (0) 9704 609-0 Fax: +49 (0) 9704 609-50 Homepage: www.perma-tec.de E-Mail: info@perma-tec.de

1.4 Emergency telephone number

Supplier

Emergency telephone number (with hours of

operation)

operation)

0049 (0) 9704-609-99 (Mon-Thu 8:00-16:30, Fri 08:00-12:00)

2. Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

Ingredients of unknown

toxicity

: Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 2%

Ingredients of unknown

ecotoxicity

: Percentage of the mixture consisting of ingredient(s) of unknown hazards to the

Classification according to Directive 1999/45/EC [DPD]

The product is not classified as dangerous according to Directive 1999/45/EC and its amendments.

aquatic environment: 4.4%

Classification : Not classified.

See Section 16 for the full text of the R phrases or H statements declared above. See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms

Signal word : No signal word.

Hazard statements : No known significant effects or critical hazards.

Precautionary statements

Prevention : Not applicable.
Response : Not applicable.
Storage : Not applicable.
Disposal : Not applicable.



SF 02 perma Hochdruckfett

Date of printing: 2013_04_02 Date of revision: 2013_04_02

Hazardous ingredients

Supplemental label

elements

: Safety data sheet available for professional user on request.

Special packaging requirements

Containers to be fitted

: Not applicable.

with child-resistant

fastenings

Tactile warning of danger : Not applicable.

2.3 Other hazards

Other hazards which do

: Not available.

not result in classification

Additional warning phrases : Not available.

3. Composition/information on ingredients

Substance/mixture : Mixture

Description : solid lubricant mineral oil lithium soap

			Classification		
Product/ingredient name	Identifiers	%	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	
2,6-Di-tert-butyl-p- cresol	EC: 204-881-4 CAS: 128-37-0	<0.25	N; R50/53	Aquatic Acute 1, H400 Aquatic Chronic 1, H410	[1]
			See Section 16 for the full text of the R- phrases declared above.	See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Type

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

Occupational exposure limits, if available, are listed in Section 8.

4. First aid measures

Inhalation

4.1 Description of first aid measures

Eye contact : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower

eyelids. Check for and remove any contact lenses. Get medical attention if irritation

occurs.

: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Get medical attention if symptoms occur.

Skin contact : Flush contaminated skin with plenty of water. Remove contaminated clothing and

shoes. Get medical attention if symptoms occur.

 Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person



SF 02 perma Hochdruckfett

Date of printing: 2013_04_02 Date of revision: 2013_04_02

is conscious, give small quantities of water to drink. Do not induce vomiting unless

directed to do so by medical personnel. Get medical attention if symptoms occur.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

Eye contact No known significant effects or critical hazards. Inhalation No known significant effects or critical hazards. Skin contact No known significant effects or critical hazards. Ingestion : No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact : No specific data. Inhalation No specific data. Skin contact : No specific data. Ingestion : No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

Specific treatments : No specific treatment.

5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing

media

: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing

media

: None known.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture

: In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous combustion

products

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide sulfur oxides metal oxide/oxides

5.3 Advice for firefighters

Special precautions for

fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable

training.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

6. Accidental release measures



SF 02 perma Hochdruckfett

Date of printing: 2013_04_02 Date of revision: 2013_04_02

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

For emergency responders: Fspecialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and materials for containment and cleaning up

Small spill

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

 Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with noncombustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for waste disposal.

6.4 Reference to other sections

: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

7. Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures

: Put on appropriate personal protective equipment (see Section 8).

Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

7.3 Specific end use(s)

Recommendations Industrial sector specific solutions

: Not available. : Not available.



SF 02 perma Hochdruckfett

Date of printing: 2013_04_02 Date of revision: 2013_04_02

8. Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters

Occupational exposure limits

No exposure limit value known.

procedures

Recommended monitoring : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to European Standard EN 689 for methods for the assessment of exposure by inhalation to chemical agents and national guidance documents for methods for the determination of hazardous substances

Derived effect levels

No DELs available.

Predicted effect concentrations

No PECs available.

8.2 Exposure controls

Appropriate engineering controls

: No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or

other engineering controls to keep worker exposure below any recommended or statutory limits.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.

Skin protection

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates

Body protection

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9. Physical and chemical properties



SF 02 perma Hochdruckfett

Date of printing: 2013_04_02 Date of revision: 2013_04_02

9.1 Information on basic physical and chemical properties

Appearance

Physical state : Liquid. [Paste.]

Colour : Grey.

Odour : Characteristic.
pH : Not available.
Melting point/freezing point : Not available.
Initial boiling point and boiling : Not available.

range

Flash point : Not applicable.
Flammability (solid, gas) : Not available.
Burning time : Not applicable.
Burning rate : Not applicable.
Upper/lower flammability or : Not available.

explosive limits

Vapour pressure : Not available.

Density : 0.87 g/cm³ [20°C]

Bulk Density : Not available.

Solubility(ies) : Insoluble in the following materials: cold water.

Partition coefficient: n-

octanol/water

: Not available.

Auto-ignition temperature : Not available.

Decomposition temperature : Not available.

Viscosity : Not available.

Explosive properties : Not available.

Oxidising properties : Not available.

9.2 Other information No additional information.

10. Stability and reactivity

10.1 Reactivity : No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability : The product is stable.

10.3 Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid : No specific data.

10.5 Incompatible materials : No specific data.

10.6 Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products

should not be produced.

11. Toxicological information



SF 02 perma Hochdruckfett

Date of printing: 2013_04_02 Date of revision: 2013_04_02

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Distillates (petroleum), hydrotreated heavy naphthenic	LD50 Dermal	Rabbit	>2000 mg/kg	-
Residual oils (petroleum), hydrotreated	LD50 Oral LD50 Dermal	Rat Rat	>5000 mg/kg >5000 mg/kg	-
2,6-Di-tert-butyl-p-cresol	LD50 Oral LD50 Dermal	Rat Rat	>5000 mg/kg >2000 mg/kg	-

Conclusion/Summary

Not available.

Acute toxicity estimates

Not available.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
2,6-Di-tert-butyl-p-cresol	Eyes - Moderate irritant	Rabbit	-	-	-
	Skin - Mild irritant	Human	-	-	-
	Skin - Moderate irritant	Rabbit	-	-	-

Conclusion/Summary

Not available.

Sensitiser

Conclusion/Summary

: Not available.

<u>Mutagenicity</u>

Conclusion/Summary

: Not available.

Carcinogenicity

Conclusion/Summary

: Not available.

Reproductive toxicity

Conclusion/Summary

: Not available.

Teratogenicity

Conclusion/Summary

: Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely

: Not available.

routes of exposure

Potential acute health effects

 Inhalation
 : No known significant effects or critical hazards.

 Ingestion
 : No known significant effects or critical hazards.

 Skin contact
 : No known significant effects or critical hazards.

 Eye contact
 : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

 Inhalation
 : No specific data.

 Ingestion
 : No specific data.

 Skin contact
 : No specific data.

 Eye contact
 : No specific data.



SF 02 perma Hochdruckfett

Date of printing: 2013_04_02 Date of revision: 2013_04_02

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate : Not available.

effects

Potential delayed effects: Not available.

Long term exposure

Potential immediate :

: Not available.

effects

Potential delayed effects: Not available.

Potential chronic health effects

Not available.

Conclusion/Summary : Not available.

General : No known significant effects or critical hazards.

Carcinogenicity : No known significant effects or critical hazards.

Mutagenicity : No known significant effects or critical hazards.

Teratogenicity : No known significant effects or critical hazards.

Developmental effects : No known significant effects or critical hazards.

Fertility effects : No known significant effects or critical hazards.

Other information : Not available.

12. Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
Distillates (petroleum), hydrotreated heavy naphthenic	EC50 >1000 mg/l	Fish	96 hours
Residual oils (petroleum), hydrotreated	Acute EC50 >10000 mg/l	Daphnia	48 hours
	Acute IC50 >1000 mg/l	Algae	96 hours
	Acute LC50 1000 to 5000 mg/l	Fish	96 hours
	Chronic NOEC >5000 mg/l	Fish	96 hours
2,6-Di-tert-butyl-p-cresol	Acute EC50 1440 ug/L Fresh water	Daphnia - Daphnia pulex - Neonate - <24 hours	48 hours

Conclusion/Summary : Not available.

12.2 Persistence and degradability

Conclusion/Summary : Not available.

12.3 Bioaccumulative potential

Not available.

12.4 Mobility in soil

Soil/water partition : Not available. coefficient (K_{oc})

Mobility : Not available.

12.5 Results of PBT and vPvB assessment
PBT : Not applicable.



SF 02 perma Hochdruckfett

Date of printing: 2013_04_02 Date of revision: 2013_04_02

vPvB : Not applicable.

12.6 Other adverse effects : No known significant effects or critical hazards.

13. Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product

Methods of disposal

The generation of waste should be avoided or minimised wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Hazardous waste

: Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 91/689/EEC.

Packaging

Methods of disposal

: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions

: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

14. Transport information

	ADR/RID	IMDG	IATA
14.1 UN number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport nazard class(es)	-	-	-
4.4 Packing roup	-	-	-
4.5 Environmental nazards	No.	No.	No.
14.6 Special precautions for user	Not available.	Not available.	Not available.
Additional nformation	-	-	-



SF 02 perma Hochdruckfett

Date of printing: 2013_04_02 Date of revision: 2013_04_02

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not available.

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions : Not applicable.

on the manufacture, placing on the market and use of certain dangerous

substances, mixtures and

articles

Other EU regulations

Europe inventory : Not determined.

Black List Chemicals : Not listed Priority List Chemicals : Not listed Integrated pollution : Not listed

prevention and control

list (IPPC) - Air

Integrated pollution : Not listed prevention and control

list (IPPC) - Water

International regulations

Chemical Weapons Convention List Schedule I

Chemicals

Convention List Schedule II

Chemicals

Chemical Weapons : Not listed

Chemical Weapons Convention List Schedule III

Chemicals

: Not listed

: Not listed

15.2 Chemical Safety

Assessment

: This product contains substances for which Chemical Safety Assessments are still

required.

16. Other information

Indicates information that has changed from previously issued version.

: ATE = Acute Toxicity Estimate Abbreviations and

acronyms CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.

1272/2008]

DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration RRN = REACH Registration Number



Safety Data Sheet Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II – United Kingdom (UK) SF 02 perma Hochdruckfett Date of printing: 2013_04_02 Date of revision: 2013_04_02

Classification		Justification		
Not classified.				
Full text of abbreviated H statements	: H400 Very toxic to aqu H410 Very toxic to aqu	uatic life. uatic life with long lasting effects.		
Full text of classifications [CLP/GHS]		AQUATIC TOXICITY (ACUTE) - Category 1 AQUATIC TOXICITY (CHRONIC) - Category 1		
Full text of abbreviated R phrases	 R50/53- Very toxic to aquatic environment. 	R50/53- Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.		
Full text of classifications	: N- Dangerous for the env	rironment		

